



technical details according to ISO 8666


LOA	10.85 m	35' 7"
LOA - ext.platf.	11.50 m	37' 9"
Hull length	10.80 m	35' 5"
Hull length - ext.platf.	11.40 m	37' 5"
Beam	3.64 m	11' 11"
Draft max	1.03 m	3' 5"
Water tank	200	44 UK gal
Fuel tank	600 I	132 UK gal
Displacement	6.4 t	6.3 UK t
CE Category	В	В
Max. persons	12	12
Engine Standard		
2x Volvo Penta D4-260	approx.	30 knots*
Engine Option		
2x Volvo Penta D4-300	approx.	40 knots*

*All performance figures are given in good faith and are intended as an indication. These figures cannot be guaranteed as top speed in particular is affected by the cleanliness of the hull, conditions of the propellers, weight carried and air/sea temperature. Performance is related also to the optional accessories selected FJORD reserves the right to change specifications in line with the company policy of improvement through research and development. Standard Propeller tested in Greifswald according to Volvo conditions. All measurements/figures approximate. Errors and omissions excepted. Specification and material can be changed without notice. Please check with your dealer for a full list of inclusions. Valid from 2019.01.01





FJORD 36 open | exterior & interior layouts





FJORD 36 open standard equipment

HULL

- / GRP hull, isophthalic gelcoat, colour: signal white (according to colour card), 1st layer vinyl ester resin
- / Waterline, isophthalic gelcoat, colour: dark grey (according to colour card)
- /3 openable portholes (2 in master cabin, 1 in toilette)

DECK & COCKPIT

- / Dashboard, colour: signal white (according to colour card), with foot support, handrail, switch panel and engine room fire extinguisher system
- / GRP deck, isophtalic gelcoat, colour: signal white (according to colour card), 1st layer vinyl ester resin. Self draining anchor locker. Anchor arm in stainless steel. Stainless steel tie bar for fender. Large diameter stainless steel handrails, wired guard rail at stern and deck hatch at bow storage. Gunwale in GRP. Cockpit sunpad with hinged backrest. U-shaped bench at bow incl. table with fixed leg. Fixed pilot and copilot bench and electric engine hatch.
- / Fender strip, rubber, colour: white
- / FJORD steering wheel with tilting system, iovstick and throttles
- / Full windscreen
- / Shower unit with hot and cold water
- / Bathing ladder, telescopic, integrated in the
- / 4 aluminium mooring cleats, stainless steel handrails

PROPULSION

/ Engine room, sound insulated, fans, fire extinguisher system, automatic and manual, Batteries-Engines: 2 x 90 Ah / 12 V, Battery charger 35 A (for engine and service batteries) / 2 Volvo D4 (191 kW/260 hp) stern drive propeller G8, joystick, 2 Volvo 2,5"

multifunctional displays

/ Fuel tank, capacity: 600 litres and fuel filter

ELECTRICAL EQUIPMENT

- / 12 V and 230 V electric system with 230 V shore power connection. Sockets in master cabin (1), toilette (1), and 12V on dashboard (1)
- /Batteries-Service: 1 x 160 Ah AGM
- / Country Version: EU / AUS
- /Wireless charging for mobile phone in cabin
- / Manual toilet
- / Spotlights and indirect lights in master cabin. Light in toilette and engine room.
- / Holding tank, capacity: 60 litres
- /Water tank, capacity: 200 litres
- / Bilge pumps: automatic electric (2) and manual emergency bilge pump in cockpit (1)

NAVIGATION & INSTRUMENTS

/ Compass

LAYOUT & INTERIOR

/ A1: Master cabin with double berth, fridge and storage. Fully equipped head with handheld shower.

UPHOLSTERY & WOOD

- / Upholstery and covered matress scheme: cloque, colour: cream (according to colour card)
- / Exterior seating material, upholstery scheme: sunbrella, colour: charcoal (according to colour card)
- / Upholstery helmsman bench, upholstery scheme: sunbrella, colour: charcoal (according to colour card)
- /Carpet for cabin (according to colour card)
- / Interior furniture in high quality marine plywood, colour: warm mahogany (according to colour card)

TRANSPORT

/ Identified locations for hand held fire extinguishers - (hand held fire extinguishers are not supplied), FJORD Owner's Manual in FJORD document bag

